Author Index

Armstrong, J.F., Pritchard-Jones, K., Bickmore, W.A., Hastie, N.D. and Bard, J.B.L.
The expression of the Wilms' tumour gene, WT1, in the developing mammalian embryo (40) 85

Bailey, A., see Ferreiro, B. (40) 25
Bard, J.B.L., see Armstrong, J.F. (40) 85
Baumgartner, S. and Chiquet-Ehrismann, R.
Ten^{a}, a *Drosophila* gene related to tenascin, shows selective transcript localization (40) 165
Bhatt, S., see Bradley, L.C. (40) 73
Bickmore, W.A., see Armstrong, J.F. (40) 85
Boncinelli, E., see Dekker, E.-J. (40) 3
Bradley, L.C., Snape, A., Bhatt, S. and Wilkinson, D.G.
The structure and expression of the *Xenopus Krox-20* gene: conserved and divergent patterns of expression in rhombomeres and neural crest (40) 73
Brockes, J.P., see Ragsdale, Jr., C.W. (40) 99
Bulfone, A., Kim, H.-J., Puelles, L., Porteus, M.H., Grippo, J.F. and Rubenstein, J.L.R.
The mouse *Dlx-2* (*Tes-1*) gene is expressed in spatially restricted domains of the forebrain, face and limbs in midgestation mouse embryos (40) 129
Busse, U. and Séguin, C.
Isolation of cDNAs for two closely related members of the axolotl *Wnt* family, *Awnt*-5A and *Awnt*-5B, and analysis of their expression during development (40) 63

Chiquet-Ehrismann, R., see Baumgartner, S. (40) 165
Crews, S.T., see Wharton, Jr., K.A. (40) 141

Dekker, E.-J., Pannese, M., Houtzager, E., Boncinelli, E. and Durston, A.
Colinearity in the *Xenopus laevis* Hox-2 complex (40) 3
Dorsky, R., see Ferreiro, B. (40) 25
Drucker, B.J. and Goldfarb, M.
Murine FGF-4 gene expression is spatially restricted within embryonic skeletal muscle and other tissues (40) 155
Durston, A., see Dekker, E.-J. (40) 3

Ferreiro, B., Skoglund, P., Bailey, A., Dorsky, R. and Harris, W.A.
XASH1, a *Xenopus* homolog of *achaete–scute* a proneural gene in anterior regions of the vertebrate CNS (40) 25

Gates, P.B., see Ragsdale, Jr., C.W. (40) 99
Goldfarb, M., see Drucker, B.J. (40) 155
Grippo, J.F., see Bulfone, A. (40) 129

Harris, W.A., see Ferreiro, B. (40) 25
Hastie, N.D., see Armstrong, J.F. (40) 85
Heino, T.I., see Tirronen, M. (40) 113
Heino, T.O., see Tirronen, M. (40) 113
Hill, D.S., see Ragsdale, Jr., C.W. (40) 99
Houtzager, E., see Dekker, E.-J. (40) 3

Kim, H.-J., see Bulfone, A. (40) 129
Kruijer, W., see Shen, S. (40) 177

Lengyel, J.A., see Liaw, G.-J. (40) 47
Liaw, G.-J. and Lengyel, J.A.
Control of *tailless* expression by *bicoid*, *dorsal* and synergistically interacting terminal system regulatory elements (40) 47

Ohno, C.K. and Petkovich, M.
FTZ-F1β, a novel member of the *Drosophila* nuclear receptor family (40) 13

Pannese, M., see Dekker, E.-J. (40) 3
Paro, R. and Zink, B.
The *Polycomb* gene is differentially regulated during oogenesis and embryogenesis of *Drosophila melanogaster* (40) 37
Partanen, M., see Tirronen, M. (40) 113
Petkovich, M., see Ohno, C.K. (40) 13
Porteus, M.H., see Bulfone, A. (40) 129
Pritchard-Jones, K., see Armstrong, J.F. (40) 85
Puelles, L., see Bulfone, A. (40) 129

Ragsdale, Jr., C.W., Gates, P.B., Hill, D.S. and Brockes, J.P.
Delta retinoic acid receptor isoform δ_1 is distinguished by its exceptional N-terminal sequence and abundance in the limb regeneration blastema (40) 99
Roos, C., see Tirronen, M. (40) 113
Rubenstein, J.L.R., see Bulfone, A. (40) 129

Séguin, C., see Busse, U. (40) 63
Shen, S., Van der Saag, P.T. and Kruijer, W.
Dominant negative retinoic acid receptor β (40) 177
Skoglund, P., see Ferreiro, B. (40) 25
Snape, A., see Bradley, L.C. (40) 73

Tirronen, M., Partanen, M., Heino, T.O., Heino, T.I. and Roos, C.
Analyses of the *Drosophila quit, ovarian tumor* and *shut down* mutants in oocyte differentiation using in situ hybridisation (40) 113

Van der Saag, P.T., see Shen, S. (40) 177

Wharton, Jr., K.A. and Crews, S.T.
CNS midline enhancers of the *Drosophila slit* and *Toll* genes (40) 141
Wilkinson, D.G., see Bradley, L.C. (40) 73

Zink, B., see Paro, R. (40) 37

Subject Index

Achaete–scute
Xenopus; Neural expression; Basic helix–loop–helix protein; E2 box binding; *Emc* inhibition; *MASH1* (Ferreiro, B. (40) 25)

Amphibian
Wnt-5A; *Wnt*-5B; Urodele; Axolotl; Reverse transcription PCR (Busse, U. (40) 63)

Axolotl
Wnt-5A; *Wnt*-5B; Amphibian; Urodele; Reverse transcription PCR (Busse, U. (40) 63)

Basic helix–loop–helix protein
Xenopus; *Achaete–scute*; Neural expression; E2 box binding; *Emc* inhibition; *MASH1* (Ferreiro, B. (40) 25)

fs(2)Bic-D
Oogenesis; Spermatogenesis; Transport; fs(1)K10; fs(2)egl (Tirronen, M. (40) 113)

Brain
Dlx-2; Homeobox gene; Limb; Branchial arch; Neural crest (Bulfone, A. (40) 129)

Branchial arch
Dlx-2; Homeobox gene; Brain; Limb; Neural crest (Bulfone, A. (40) 129)

Central nervous system
Steroid receptor; Transcription factor; *ftz* gene regulation; Zebra element (Ohno, C.K. (40) 13)

CNS midline development
slit; *Toll*; Gene regulation; *Drosophila* (Wharton, Jr., K.A. (40) 141)

Dimerization
Dominant negative; Embryonal carcinoma cell; mRARβ_2 promoter; Retinoic acid receptor β_2; Transactivation (Shen, S. (40) 177)

Dlx-2
Homeobox gene; Brain; Limb; Branchial arch; Neural crest (Bulfone, A. (40) 129)

Dominant negative
Dimerization; Embryonal carcinoma cell; mRARβ_2 promoter; Retinoic acid receptor β_2; Transactivation (Shen, S. (40) 177)

Drosophila
Polycomb group; Polycomb; Protein distribution; Homeotic gene (Paro, R. (40) 37)

slit; *Toll*; Gene regulation; CNS midline development (Wharton, Jr., K.A. (40) 141)

ten^a; Tenascin; Epidermal growth factor; Localized RNA (Baumgartner, S. (40) 165)

E2 box binding
Xenopus; *Achaete–scute*; Neural expression; Basic helix–loop–helix protein; *Emc* inhibition; *MASH1* (Ferreiro, B. (40) 25)

Embryonal carcinoma cell
Dimerization; Dominant negative; mRARβ_2 promoter; Retinoic acid receptor β_2; Transactivation (Shen, S. (40) 177)

***Emc* inhibition**
Xenopus; *Achaete–scute*; Neural expression; Basic helix–loop–helix protein; E2 box binding; *MASH1* (Ferreiro, B. (40) 25)

Epidermal growth factor
Drosophila; *ten*^{a}; Tenascin; Localized RNA (Baumgartner, S. (40) 165)

Fibroblast growth factor
Gene expression; Mesoderm; Neuroectoderm; Skeletal muscle (Drucker, B.J. (40) 155)

fs(2)egl
Oogenesis; Spermatogenesis; Transport; fs(1)K10; fs(2)Bic-D (Tirronen, M. (40) 113)

***ftz* gene regulation**
Steroid receptor; Transcription factor; Zebra element; Central nervous system (Ohno, C.K. (40) 13)

Gene expression
Fibroblast growth factor; Mesoderm; Neuroectoderm; Skeletal muscle (Drucker, B.J. (40) 155)

Gene regulation
slit; *Toll*; *Drosophila*; CNS midline development (Wharton, Jr., K.A. (40) 141)

Gonad
Kidney development; Mesenchyme-epithelium transition; Mesothelium; Motor neuron; Nephrogenesis; Tumor suppressor; WT1; Wilms' tumor (Armstrong, J.F. (40) 85)

Homeobox gene
Dlx-2; Brain; Limb; Branchial arch; Neural crest (Bulfone, A. (40) 129)

Homeotic gene
Polycomb group; Polycomb; Protein distribution; *Drosophila* (Paro, R. (40) 37)

Hox gene
Xenopus laevis; Retinoic acid (Dekker, E.-J. (40) 3)

fs(1)K10
Oogenesis; Spermatogenesis; Transport; fs(2)Bic-D; fs(2)egl (Tirronen, M. (40) 113)

Kidney development
Gonad; Mesenchyme-epithelium transition; Mesothelium; Motor neuron; Nephrogenesis; Tumor suppressor; WT1; Wilms' tumor (Armstrong, J.F. (40) 85)

Krox-20
Xenopus development; Rhombomere; Segmentation; Neural crest (Bradley, L.C. (40) 73)

Limb
Dlx-2; Homeobox gene; Brain; Branchial arch; Neural crest (Bulfone, A. (40) 129)

Limb regeneration
Retinoic acid; Retinoic acid receptor; Position specification; Newt (Ragsdale, Jr., C.W. (40) 99)

Localized RNA
Drosophila; *ten*^{a}; Tenascin; Epidermal growth factor (Baumgartner, S. (40) 165)

MASH1
Xenopus; *Achaete-scute*; Neural expression; Basic helix–loop–helix protein; E2 box binding; *Emc* inhibition (Ferreiro, B. (40) 25)

Mesenchyme-epithelium transition
Gonad; Kidney development; Mesothelium; Motor neuron; Nephrogenesis; Tumor suppressor; WT1; Wilms' tumor (Armstrong, J.F. (40) 85)

Mesoderm
Fibroblast growth factor; Gene expression; Neuroectoderm; Skeletal muscle (Drucker, B.J. (40) 155)

Mesothelium
Gonad; Kidney development; Mesenchyme-epithelium transition; Motor neuron; Nephrogenesis; Tumor suppressor; WT1; Wilms' tumor (Armstrong, J.F. (40) 85)

Motor neuron
Gonad; Kidney development; Mesenchyme-epithelium transition; Mesothelium; Nephrogenesis; Tumor suppressor; WT1; Wilms' tumor (Armstrong, J.F. (40) 85)

Nephrogenesis
Gonad; Kidney development; Mesenchyme-epithelium transition; Mesothelium; Motor neuron; Tumor suppressor; WT1; Wilms' tumor (Armstrong, J.F. (40) 85)

Neural crest
Xenopus development; *Krox-20*; Rhombomere; Segmentation (Bradley, L.C. (40) 73)

Dlx-2; Homeobox gene; Brain; Limb; Branchial arch (Bulfone, A. (40) 129)

Neural expression
Xenopus; *Achaete-scute*; Basic helix–loop–helix protein; E2 box binding; *Emc* inhibition; *MASH1* (Ferreiro, B. (40) 25)

Neuroectoderm
Fibroblast growth factor; Gene expression; Mesoderm; Skeletal muscle (Drucker, B.J. (40) 155)

Newt
Retinoic acid; Retinoic acid receptor; Position specification; Limb regeneration (Ragsdale, Jr., C.W. (40) 99)

Oogenesis
Spermatogenesis; Transport; fs(1)K10; fs(2)Bic-D; fs(2)egl (Tirronen, M. (40) 113)

Polycomb
Polycomb group; Protein distribution; Homeotic gene; *Drosophila* (Paro, R. (40) 37)

Polycomb group
Polycomb; Protein distribution; Homeotic gene; *Drosophila* (Paro, R. (40) 37)

Position specification
Retinoic acid; Retinoic acid receptor; Limb regeneration; Newt (Ragsdale, Jr., C.W. (40) 99)

Promoter dissection
Tailless gene; Terminal system; Transcriptional synergism (Liaw, G.-J. (40) 47)

Protein distribution
Polycomb group; Polycomb; Homeotic gene; *Drosophila* (Paro, R. (40) 37)

mRARβ_2 promoter
Dimerization; Dominant negative; Embryonal carcinoma cell; Retinoic acid receptor β_2; Transactivation (Shen, S. (40) 177)

Retinoic acid
Xenopus laevis; Hox gene (Dekker, E.-J. (40) 3)

Retinoic acid receptor; Position specification; Limb regeneration; Newt (Ragsdale, Jr., C.W. (40) 99)

Retinoic acid receptor
Retinoic acid; Position specification; Limb regeneration; Newt (Ragsdale, Jr., C.W. (40) 99)

Retinoic acid receptor β_2
Dimerization; Dominant negative; Embryonal carcinoma cell; mRARβ_2 promoter; Transactivation (Shen, S. (40) 177)

Reverse transcription PCR
Wnt-5A; *Wnt*-5B; Amphibian; Urodele; Axolotl (Busse, U. (40) 63)

Rhombomere
Xenopus development; *Krox-20*; Segmentation; Neural crest (Bradley, L.C. (40) 73)

Segmentation
Xenopus development; *Krox-20*; Rhombomere; Neural crest (Bradley, L.C. (40) 73)

Skeletal muscle
Fibroblast growth factor; Gene expression; Mesoderm; Neuroectoderm (Drucker, B.J. (40) 155)

slit
Toll; Gene regulation; *Drosophila*; CNS midline development (Wharton, Jr., K.A. (40) 141)

Spermatogenesis
Oogenesis; Transport; fs(1)K10; fs(2)Bic-D; fs(2)egl (Tirronen, M. (40) 113)

Steroid receptor
Transcription factor; *ftz* gene regulation; Zebra element; Central nervous system (Ohno, C.K. (40) 13)

***Tailless* gene**
Promoter dissection; Terminal system; Transcriptional synergism (Liaw, G.-J. (40) 47)

***ten*^{a}**
Drosophila; Tenascin; Epidermal growth factor; Localized RNA (Baumgartner, S. (40) 165)

Tenascin
Drosophila; *ten*^{a}; Epidermal growth factor; Localized RNA (Baumgartner, S. (40) 165)

Terminal system
Promoter dissection; *Tailless* gene; Transcriptional synergism (Liaw, G.-J. (40) 47)

Toll
slit; Gene regulation; *Drosophila*; CNS midline development (Wharton, Jr., K.A. (40) 141)

Transactivation
Dimerization; Dominant negative; Embryonal carcinoma cell; mRARβ_2 promoter; Retinoic acid receptor β_2 (Shen, S. (40) 177)

Transcriptional synergism
Promoter dissection; *Tailless* gene; Terminal system (Liaw, G.-J. (40) 47)

Transcription factor
Steroid receptor; *ftz* gene regulation; Zebra element; Central nervous system (Ohno, C.K. (40) 13)

Transport
Oogenesis; Spermatogenesis; fs(1)K10; fs(2)Bic-D; fs(2)egl (Tirronen, M. (40) 113)

Tumor suppressor
Gonad; Kidney development; Mesenchyme-epithelium transition; Mesothelium; Motor neuron; Nephrogenesis; WT1; Wilms' tumor (Armstrong, J.F. (40) 85)

Urodele
Wnt-5A; *Wnt*-5B; Amphibian; Axolotl; Reverse transcription PCR (Busse, U. (40) 63)

Wilms' tumor
Gonad; Kidney development; Mesenchyme-epithelium transition; Mesothelium; Motor neuron; Nephrogenesis; Tumor suppressor; WT1 (Armstrong, J.F. (40) 85)

***Wnt*-5A**
Wnt-5B; Amphibian; Urodele; Axolotl; Reverse transcription PCR (Busse, U. (40) 63)

***Wnt*-5B**
Wnt-5A; Amphibian; Urodele; Axolotl; Reverse transcription PCR (Busse, U. (40) 63)

WT1
Gonad; Kidney development; Mesenchyme-epithelium transition; Mesothelium; Motor neuron; Nephrogenesis; Tumor suppressor; Wilms' tumor (Armstrong, J.F. (40) 85)

Xenopus
Achaete-scute; Neural expression; Basic helix–loop–helix protein; E2 box binding; *Emc* inhibition; *MASH1* (Ferreiro, B. (40) 25)

***Xenopus* development**
Krox-20; Rhombomere; Segmentation; Neural crest (Bradley, L.C. (40) 73)

Xenopus laevis
Hox gene; Retinoic acid (Dekker, E.-J. (40) 3)

Zebra element
Steroid receptor; Transcription factor; *ftz* gene regulation; Central nervous system (Ohno, C.K. (40) 13)